

ONLINE AUCTION



COLUMBUS CASTINGS

**WEDNESDAY
& THURSDAY,
DECEMBER
7TH & 8TH, 2016**

**2211 PARSONS AVE.
COLUMBUS, OH**

*Massive ONLINE
Auction Of Historical
Columbus Castings!*

*110 Year old Foundry
& Casting Facility*



ONLINE ONLY • Go To: www.bid.reichbros.com

Sale Conducted by:

REICH  **BROTHERS**

In Conjunction with:
MIEDEMA
Asset Management Group


In Conjunction with:

MIEDEMA
Asset Management Group

ONLINE AUCTION

COLUMBUS CASTINGS

Auction Address:
2211 Parsons Ave.
Columbus, OH



CNC HORIZONTAL BORING MILLS

- Scharmann Bullard Model HB23 6" CNC Floor Type Horizontal Boring Mill, S/N: 69-78003 New (1969 Fanuc CNC Retrofit in 2009) Spindle Speeds: 50-800 RPM; 50 HP Spindle Motor; X-Axis Travel: 349"; Y Axis Travel: 95"; Z Axis Travel: 51"; W Axis Travel: 77.5"; B axis: 360 Degrees; Equipped with: Fanuc 16i CNC Control; 71" x 59" 360 degree Index Table with 77.5" Longitudinal Travel; 205" x 98 1/2" x 10" thick Floor Plate; Air and Coolant Thru Spindle; Jorgenson Chip Conveyor; Coffing Hoist; B-3553
- Scharmann Bullard Model HB18, 5" CNC Floor Type Horizontal Boring Mill, S/N 68-157-048 (New 1968, Fanuc CNC Retrofit In 2006), Spindle Speeds: 50-800 RPM, 50-HP, X-Axis Travel: 349", Y-Axis Travel: 95", Z-Axis Travel: 51", U-Axis Travel: 31.5" W-Axis Travel: 77.5", B-Axis: 360°, 77W Longitudinal Table Travel, Fanuc 16i-M Controller, U-Axis Spindle, CM Hoist, 138" x 118" Floor Plate, Jorgenson Chip Conveyor; B-3554 (Please Note: Fanuc Controller and Motor Upgrade in 2006)

CNC MACHINING CENTER

- Haas Model VF-8 CNC Vertical Machining Center, S/N 1031300 (New 2006), 36" x 64" Table Size, 30-HP Spindle Two Speed Motor, 10,000-RPM Spindle Speed, Travels: 64" X-Axis, 40" Y-Axis, 30" Z-Axis; Chip Auger, Automatic Toolchanger;

TOOL PRESETTERS, CMM'S & PRECISION LAYOUT TABLES

- Rohmer Infinite 5036 Portable Coordinate Measuring Machine, S/N: 5036SC-163 (New 2007), with: Perceptron Scanworks Model V4i Sensor Laser Scanner (New 2006)
- Gildemeister Devlieg Type EGS2550-002, Tool Setter, S/N 71-10-172; (New 1988), with Heidenhain 3-Axis Digital Read Out; B-2818-1
- RWD Model 72A Layout Machine With G&L Microprocessor, with 3-Axis Digital Readout, 72" Vertical Capacity, 140" x 150" Steel Layout Table
- Portage Model 72A, Layout Machine, S/N N/A (New 1974), G&L Measurement Processor with 3-Axis Digital Readout, 72" Vertical Capacity, 70" x 150" Steel Layout Table
- RWD Model 48, Layout Machine, S/N 496111, with Metronics Quardr-Chek-3000 Digital Read Out, with 70" x 150" Steel Layout Table
- RWD Model 36D, Layout Machine, S/N 396104, with Metronics Quardr-Chek-3000 Digital Read Out, with 50" x 140" Steel Layout Table

PLANERS & PLANER MILLS

- Ingersoll Double Housing Planer Mill, S/N 16172 (New 1941), Spindle Speeds: 16-260 RPM, 63" Between Columns, 52" Under Rail, 14" Table Travel, 102" Left to Right Travel, 48" Vertical Travel, Table Size: 144" x 48", with Side Cutting Head, Off Set Cutter Head on Top Spindle, Pendant Control; B-3518
- Ingersoll Double Housing Planer Mill, S/N N/A, Spindle Speeds: 10-193, 109" Between Columns, 70" Vertical Travel, 82" Under Rail, 120" Left to Right Travel, 28" Table Travel, Table Size: 28" x 94", (2) Top Rail Cutter Heads, (1) Disassembled, (2) Side Cutter Heads, (1) Disassembled, Pendant Control, Rack Drive, Quartech Controls; B-3529
- Ingersoll Double Housing Planer Mill, S/N N/A, 79" Between Housings, 76" Under Rail, 16" Table Travel, 64" Wide x 16" Long Table, (2) Top Rail Rotary Cutter Heads, (2) Rotary Side Cutter Heads, (1) Disassembled, Pendant Control, Rack Drive; B-3056

- Ingersoll Bridge Type Planer Mill, S/N 17193 (New 1945), 51" Under Rail, 55" Between Columns, 216" x 36" Table, Single Bridge Milling Head, Right and Left Side Milling Heads, Quartech Control on Pendant; B-3474 (Please Note: This machine is out of service.)
- Rockford Open Side Planer Mill, S/N N/A, 72" x 21W Table, Single Overarm Cutter Head, Single Side Cutter Head; B-2202
- GE Gray Double Housing Planer, S/N N/A, Table Size: 145" x 44", 28" Under Rail, 48" Between Housings, (2) Cross Rail Cutter Heads, Side Rail Cutter Head (Please Note: Converted Line Drive Machine); B-1370

VERTICAL BORING MILLS

- Betts 96" Vertical Boring Mill, S/N E-6828 (New 1949), (2) Top Rail Angled Cutter Heads, 8" Table, 142" Dia. Custom Designed and Fabricated Table Attachment, 14" Swing, 8" Max. Under Rail, 50-HP, Quartech Controls; B-3057
- Betts 96" Vertical Boring Mill, S/N E-6293-5 (New 1947), (2) Top Rail Angled Cutter Heads, 8" Dia. Table, 108" Swing, 50-HP, 100" Max Under Rail; B-2070
- Bullard, 38" Vertical Turret Lathe, S/N 24217 (New 1944), 34" T-Slot 4-Jaw Table, 5-Position Top Rail Turret, Out of Service Single Side Cutter Head, 30-HP; B-1358

ENGINE LATHES

- Romi Tormax- 13-5, 13" x 60" Engine Lathe, S/N 002-087367-301 (New 2003), 2500-RPM, Thread Chasing, 10" 3-Jaw Chuck, 1.5" Thru Hole
- Monarch 14" x 30" Geared Head Engine Lathe, S/N 34892 (New 1951), Spindle Speeds: 19-1,800 RPM, with Tool Post, Cross Slide, Tailstock, Thread Chasing, Taper Attachment, 1/2" Hole Thru Spindle, 12" 3-Jaw Chuck; 3041
- Romi Model T-14, 16" x 45" Long Engine Lathe, S/N 002-090366, New 2005, 10" 3-Jaw Chuck, Coolant, Threading Attachment, 1.5" Spindle Hole
- Clausing Colchester 17"x 72" Engine Lathe, S/N 7/0017/02624 (New 1968), 12" 3-Jaw Chuck, 12" 4-Jaw Chuck, Thread Chasing
- Monarch Model 16CV, 16" x 78" Geared Head Engine Lathe, S/N 18287, (1942) Spindle Speeds: 17-700 RPM, with Tool Post, Cross Slide, Tailstock, Thread Chasing, Taper Attachment, 12" 3-Jaw Chuck, 1-5/8 Hole Thru Spindle; B-2057
- Monarch 18" x 78" Geared Head Engine Lathe, S/N CVB1113, Spindle Speeds: 12-487 RPM, with Tool Post, Cross Slide, Tailstock, Thread Chasing, Taper Attachment, 15" 4-Jaw Chuck, 13/4" Hole Thru Spindle; B-2041
- Boye & Emmes 18" x 198" Geared Head Engine Lathe, S/N 170 Lot 300, Taper Attachment, 4-Jaw Chuck, 1-1/2" Hole Thru Spindle; B-1497
- Lodge & Shipley 20" x 48" Geared Head Engine Lathe, S/N 23372, Taper Attachment, 18" 4-Jaw Chucks, 2" Hole Thru Spindle
- Monarch, 20" x 72" Geared Head Engine Lathe, S/N 34822 (New 1952), Spindle Speeds: 7-400 RPM, with Tool Post, Cross Slide, Tailstock, Standard Thread Chasing, Taper Attachment, 15" 3-Jaw Chuck, 2-3/8" Hole Thru Spindle B-2106
- Monarch 20" x 96" Geared Head Engine Lathe, S/N 42242 (New 1957), Spindle Speeds: 9-400 RPM, with Tool Post, Cross Slide, Tailstock, Thread Chasing, Taper Attachment, 22" 4-Jaw Chuck; B-2193
- Lodge & Shipley 20" x 110" Geared Head Engine Lathe, S/N 42870 (New 1954), with Tool Post, Cross Slide, Tailstock, 18" 4-Jaw Chuck, Standard Threading, 13/4" Hole Thru Spindle; B-2687
- Boye & Emmes 21" x 84" Geared Head Engine Lathe, S/N NF4259, with Tool Post, Cross Slide, Tailstock, Thread Chasing, Taper Attachment (Please Note: Converted Line Drive Machine)

- Monarch Model 22M, 241/2" x 72" Geared Head Engine Lathe, S/N 10557 (New 1941), Spindle Speeds: 9-400 RPM, with Tool Post, Cross Slide, Tailstock, Thread Chasing, Taper Attachment, 21" 4-Jaw Chuck, 2 1/2" Hole Thru Spindle; B-2056

- Hercules Ajax 24" x 124" Geared Head Engine Lathe, S/N L7140, Spindle Speeds: 25-440 RPM, with Tool Post, Cross Slide, Tailstock, Thread Chasing, 214" Hole Thru Spindle, 20" 4-Jaw Chuck, Standard & Metric Threading; B-5427
- Axelson Size 32, 341/2" x 144" Geared Head Engine Lathe, S/N 1963, (New 1942), Spindle Speeds: 5-467 RPM, with Tool Post, Cross Slide, Tailstock, Standard Thread Chasing, Taper Attachment, 2W Hole Thru Spindle, 25-HP Drive, 28" 4-Jaw Chuck; 6-3004

VERTICAL & HORIZONTAL MILLS

- Atrump Model B4FC, CNC Vertical Milling Machine, S/N B4FC 180, Spindle Speed Up to: 3,500RPM, Centroid CNC Control; B-3852
- Kearney & Trecker Model 525 TF Series, Plain Vertical Milling Machine, S/N 8-8234, (New 1958), 25 HP Main Drive Motor, Coolant, 18" x 96" Table, 50" Longitudinal Travel, 16" Cross Travel, 21" Vertical Knee Travel, 13 to 1300 RPM
- Kearney & Trecker Milwaukee Model #4, Plain Horizontal Milling Machine, S/N/ 3-3657, (New 1942), Spindle Speeds: 13-1300 RPM, Table Size: 82" x 18", Wide Knee, Vertical Milling Attachment
- Cincinnati Model 3S, Horizontal Milling Machine, 12" x 56" Table
- Bridgeport Series I, 2-HP Variable Speed Vertical Milling Machine, S/N N/A, Spindle Speeds: 60-4,200 RPM, 9" x 42" Power Feed Table, Acu-Rite III 2-Axis Digital Readout
- Bridgeport 1-HP Vertical Milling Machines, S/N 89506 (New 1956), Spindle Speeds: 80-2,720 RPM, 9" x 42" Power Feed Table, 2-Axis Digital Readout; B3867
- Bridgeport 1-HP Vertical Milling Machines, S/N 73878 (New 1964), Spindle Speeds: 80-2,720 RPM, 9" x 42" Power Feed Table, 2-Axis Digital Readout; 2301
- Bridgeport 1-HP Vertical Milling Machines, S/N 73713 (New 1964), Spindle Speeds: 80-2,720 RPM, 9" x 42" Power Feed Table, 2-Axis Digital Readout; 3867
- Bohner & Kohle Model MF-1 Vertical Milling Machine, 32" x 51" Table Size, Travels: 39.4" X-Axis, 29.5" Y-Axis, 19.7" Z-Axis, 3-Axis Digital readout
- Kearney & Trecker Milwaukee Model H-5H, Vertical Milling Machine, S/N 3-6215, (1948) Table Size: 94" x 18" Wide Knee, Spindle Speeds, 13 to 1,300-RPM; B-3525
- Jet 3-HP Variable Speed Vertical Milling Machine, S/N 305503005, Spindle Speeds: 60-4,200 RPM, 9" x 49" Power Feed Table; B-3699
- Millport 3-HP Vertical Milling Machine, S/N N/A, Spindle Speeds: 604,250 RPM, 50" x 10" Power Feed Table, SWI Prototrak Model MX2 CNC Control; B-3842

MATERIAL HANDLING

- 25 CRANES OVERHEAD BRIDGE FROM 5 to 50 TON; Most 85-90" Span; Some as late as 1990;
- (3) Caterpillar Model PD 10000D Diesel Forklifts; 10,000 Capacity; Foot Pedal Forward/Reverse;
- 125+ Jib Cranes from 1/2 ton to 3 ton; Gantry Cranes, Self-Standing

HORIZONTAL BORING MILLS TABLE TYPE

- Kaukauna KMC Model 3040, 4" Table Type Horizontal Boring Mill, S/N 146 (New 1952), 36" Vertical Machine Head Travel, 90" Horizontal Travel, 24" Horizontal Spindle Travel, Custom Designed and Fabricated Fixture Table
- Cincinnati Gilbert 3 3/4" Floor Type Horizontal Boring Mill, S/N 618 (New 1949), Spindle Speeds: 12-700 RPM, 60" Vertical Travel, with 60" x 60" Index Table

- Ohio, 51/2" Table Type Horizontal Boring Mill, S/N M690, Spindle Speeds: 3-180 RPM, 60" Vertical Travel, 82" Left to Right Bed Travel, 108" x 50" Table, Tailstock, 32" Face Plate; B-1984 (Please Note: Out of Service.)

GRINDERS

- 14" Pratt & Whitney Hydraulic Vertical Rotary Surface Grinder, S/N M1640-387-5-52, 14" x 36" Electromagnetic Chuck, 81/2" Max. Work Piece Thickness, Coolant Recirculation System; B-2610
- Landis Model 1236, 12" x 36" Plain Cylindrical Grinder, S/N 468/26 (New 1952), with 14" Dia. x 1" Grinding Wheel, OD Spindle, coolant Recirculation, Out of Service ID Grinding Attachment; 2112
- Brown & Sharpe Model 818 Techmaster, 8" x 18" Hydraulic Surface Grinder, S/N 523-1818-1669, with 8" x 18" Electromagnetic Chuck, Incremental Down Feed, Coolant Pump and Filter
- Cincinnati Model #2 Tool and Cutter Grinder, S/N 1 D2T1 R-214, (1945) with Relieving Fixture; B-2709
- Thompson 8" x 24" Hydraulic Surface Grinder, S/N B11369, Coolant, Wheel Dresser, 8" x 24" Electromagnetic Chuck
- Oliver Model 600 Drill Point Grinder, S/N G-6740, 1/2-HP; B-3701
- Hammond 6" Heavy Duty Double End Carbide Tool Grinder, Pedestal Type
- Ingersoll Model CT, Cutter Grinder, S/N 1892362
- Bridgeport Diamond 12" Heavy Duty Double End Pedestal Grinder
- Oliver Drill Point Grinder B-2205
- Standard Model 2BDG, 12" Heavy Duty Double End Pedestal Grinder; 2231
- Oliver Tool & Cutter Grinder; 2125

DRILLS, RADIAL & PRODUCTION

- Giddings & Lewis Bickford 8" x 18" Column Radial Arm Drill, S/N 6E 495 (New 1942), Spindle Speeds: 12-1,200 RPM, with 52" x 8" Table, Power Elevation
- Giddings & Lewis Bickford 8" x 18" Column Radial Drill, S/N 6E-821 (New 1950), Power Elevation, (2) T-Slot Floor Plates, Coolant Recirculation System; 3271
- Carlton 5" x 17" Column Radial Arm Drill, S/N 4138, Spindle Speeds: 5-1,500 RPM, with 48" x 54" L-Shaped Base, 24" x 24" Box Drill Table, Power Down Feed; B-2170
- Carlton 5" x 15" Column Radial Drill, S/N 3A-4294 (New 1955), Spindle Speeds: 50-1,500 RPM, T-Slot Box Table, Power Elevation, 42" x 54" L-Shaped Base; B-2195
- Carlton 4" x 15" Column Radial Drill, S/N 3A-3636 (New 1950), Spindle Speeds: 50-1,500 RPM, T-Slot Box Table, Power Elevation, 42" x 54" L-Shaped Base; B-2144
- Carlton 4" x 15" Column Radial Drill, S/N 3A2994 (New 1947), Spindle Speeds: 10-1,000 RPM, 48" x 54" L-Shaped Base, T-Slot Table, Power Elevation
- Fosdick 4" x 12" Column Sensitive Type Radial Arm Drill, S/N 19805 (New 1961), Spindle Speeds: 150-3,000 RPM, 42" x 24" T-Slot Table, Elevating Table, T-Slot Base, Auxiliary Swivel Table; B-2251
- Powermatic Model 1200, 20" Table Type Drill Press, S/N 67-4197
- Powermatic Model 1200, 20" Table Type Drill Press, S/N 67-4199, 80" x 24" Table
- Clausing Model 2237, 20" Table Type Drill Press, S/N 106867, Table Size: 40" x 24", with Swivel Base Vise, Power Down Feed, 6 1/2" Quill Stroke; B-3586
- Fosdick 26" Sliding Head Box Column Drill Press, S/N 16093, Power Down Feed, B-2105
- Powermatic Model 1200, 20" Bench Type Drill Press, S/N 67-4196, 6" Quill Stroke
- Fosdick 24" Sliding Head Box Column Drill Press, S/N N/A, with 21" Dia. Table; B-2103

- Fosdick 24" Sliding Head Box Column Drill Press, 24" x 24" Table, with Vise; B-2042

MISCELLANEOUS MACHINES

- Water Powered Straightening Press, 4-Ram Vertical, 137" between columns; Three stage Water Pump System;
- Water Powered Straightening Bulldozer Hydraulic Press; Three Horizontal Rams;
- Trufab Model PP40-74, 40-Ton Hydraulic Press Brake, S/N CHPB/88335, 74" Overall Bed, 8" Throat, 553/4" Between Housings, 24" Front Operated Manual Back Gauge E.A. Kinsey Horizontal Hydraulic Wheel Press, Adjustable Bed; B-95
- G&E 32" Industrial Horizontal Shaper, T-Slot Box Table; 2030
- Rodgers Model RES75-8-9091, 75-Ton H-Frame Hydraulic Shop Press, S/N 72-3740FL, 42" Between Housings, Adjustable Bed, Electric-Hydraulic Power Supply
- Kubota Model B2150HST 4-Wheel Drive Wheel Tractor, 4-Cylinder, Diesel, 24-HP, 60" Mowing Deck, Blade
- Sunnen Model MBB128D Precision Honing Machine, S/N 16195; B-2200
- Buehler Abrasive Cutoff Saw, Bench Type; B-2196
- Acme Heavy Duty 21/2" Bolt Threader, S/N M17860; B-2118
- Mitts & Merrill Keyseater
- Rigid Model 535 Pipe and Bolt Threader, S/N 379359, with Dies
- Bement Niles Steam Drop Hammer, S/N 2267, 16" Throat, Approx. 24" Stroke (Please Note: Converted to Air); B-96
- Worthington Rollair 60-HP Rotary Screw Air Compressor, S/N N/A
- Bug-O Track Burner, S/N AAPI-945021, with Torches and Hoses
- Oster Model 902 Rapiduction Production Threading Machine, S/N N/A, 212" Capacity; B-2072
- Landis 4" Heavy Duty Threader; B-961
- Original Model N/A Radial Arm Saw, S/N 00170025, 12" Wide Roll Conveyor In / Out
- Rigid Model 1224 Pipe Threader, S/N N/A, Cart, Vise
- Pexto Model 3416H, 16-Ga. Initial Pinch Roll, S/N 421-12-89, 3"
- Pexto 36" Sheet Bending Roll, 2" Dia., with Table
- Roper Whitney-Pexto Model 1012, 10" x 12-Ga. Manual Apron Brake, S/N 7221294; 315-B-3747

HORIZONTAL & VERTICAL SAWS

- IMET Model KS-600, Semi-Automatic Horizontal Band Saw, S/N 072290003, New 2007, Coolant, Panel Control, Roll Conveyor; B-3961
- Peerless Model HVC40, 40" Vertical Band Saw, S/N N/A, with 36" x 36" Tilting Table, Built-In Blade Welding and Grinding Attachment; B-3594
- Do-All 26" Vertical Band Saw, S/N 36540692, Compound Swivel Table, 12" Max. Work Piece Thickness, Blade Welder
- Marvel Model 8, 18" Universal Vertical Band Saw,
- Marvel Model #8 Tilt Frame Vertical Band Saw, S/N 84290; B-3908
- Marvel Model 8, 18" Universal Vertical Metal Cutting Band Saw, B-1925
- Powermatic Model 87 Vertical Band Saw, S/N 587551, Working Light, 20" Throat, 24" x 24" Slotted Tilting Table,
- Do-All C-916 Horizontal Band Saw, S/N 527-051852 (New 2005) B-3050

PATTERN SHOP & WOOD WORKING MACHINERY

- Atlantic 20" x 64" C.C. Wood Working Lathe; B-3856
- Original Saw Co. Model 3536 Wood Cutting Radial Arm Saw, S/N 041001548
- Cheesly Model 11, 30" Single End Face Grinder, 45" Tilting Table State Model 15, Spindle Sander, S/N 487, 28" x 28" Table
- Oliver No. 73, 38" Single Spindle Drill Press, S/N N/A, 46W x 30" Table; B-2176


- 30" Universal Double End Disc Sander, S/N 204330, with Tilting Tables, 7/2-HP
- 36" Oliver Model 2416-D, Vertical Band Saw, S/N 204330, 45° Tilting Table, 18" Max. Work Piece Thickness; B-3161
- Porter Model 300-C, 20" Jointer, S/N 6155; 8-2189
- Jet Model JS6-6VC, 6" x 12" Combination Belt and Disc Sander, S/N 80470492, 45° Tilting Table
- Jet Model JWSB-14CS, 14" Vertical Band Saw, S/N 70626662, 45° " Max. Work Piece Thickness
- Moak 36" Vertical Band Saw, S/N 10540, 36" x 36 Tilting Table; B-3615
- Northfield Model #7, 24" Planer, S/N 761909-1, 9" Max. Work Piece Thickness; B-3128
- Oliver Model 144-BD, 8" Jointer, S/N 83838; B-217
- Fay & Egan Model 500 Lighting, 12" Table Saw, S/N 145207, with Saw Fence; B-2085
- Manufacturer Unknown 10,000-Lb. Single Girder Bridge Crane, Ingersoll Rand 5-Ton Air Hoist, 25" Span
- Rockwell/Delta 6" Vertical Belt Sander, with Pedestal
- Powermatic Model 2100-30, 8" Double End Grinder, 1 1/2-HP, with Pedestal

AIR COMPRESSORS

- Ingersoll Rand Model XHE 600-HP Dual Inner Line Piston Type Air compressor, S/N H2XHE-107 (New 1969), Size 303/4" - 19 x 10, Tandem Control Console, with Reverse Air Intake Fan; B-2845
- Ingersoll Rand Model Type 5C1, 700-HP Dual Horizontal Reciprocating Piston Type Air - Volt AC, 250-Volt DC, Input, Lubricator System, Air Intake Filter; B-2050
- Ingersoll Rand Model 2072-T3025HTM, 25-HP Horizontal Tank Mounted Reciprocating Air Compressor, S/N 429391, with Arrow Air Dryer
- Ingersoll Rand Model 185-90, Portable Diesel Air Compressor, (New 1981) B-3555

- **PLANT SUPPORT EQUIPMENT:** 110 Years of Accumulated Items Including but not limited to: 50+ AC & DC Welders 500 -1000 amp; 25+ Wire Feeds on roller carts; Torches, Cables, Dry Rod Ovens, 100+ Riggig & Lifting Chains up to 20 ton capacity; Loads of New Carbide Inserts, New Turning Tools, CAT 50 Taper Toolholders; Rotary Tables, including 72" x 72" G&L Airlift, Angle Plates, 20+ Boring Heads; 50+ Carbide Inserted Facemills up to 24" in diameter; Stores containing New Metal Cable, Bearings, Vidmar Tooling Cabinets; Large Brass Inventory; Loads of Pallet Racking; 125+ Jib Cranes up to 3 Ton; Box Tables; Precision Instruments including: Micrometers, Bore gages, Ring Gages, Calipers, Height Gages, Pin Gages; Perishable Tooling: Drills, MT Toolholders, Taps, Reamers; Broaching Sets, Shop support items: Ladders, Carts, Shelf Units, Workbenches, Vises, Heaters, Block & Tackle Hoists, Stock Racks; Loads of Scrap Lots; Gears; Pulleys, Shafts; Hand Tools, pipe wrenches, open ended wrenches, sledgehammers, jack stands, hydraulic jacks, portable electric bandsaws; Chain Racks; Threaders, Chop Saws; Magnetic Based Drills; Air Tools, Chisels and Torque Wrenches; Self-Dumping Hoppers; Cast Iron Ladle Type Carriers; Large selection of Wood Planks, Mahogany; Huge Selection of Office Furniture; Items too Numerous To List!

Auction Contact & Questions:
Jeff Kopp
914-614-1800 ext. 649
JKopp@reichbros.com



TO BID ON EQUIPMENT GO TO WWW.BID.REICHBROS.COM

ONLINE AUCTION


COLUMBUS CASTINGS

PRSRT STD MAIL
U.S. Postage
PAID
Byron Center, MI
Permit No. 19

WEDNESDAY & THURSDAY, DECEMBER 7TH & 8TH, 2016

CORPORATE HEADQUARTERS: 601 GORDON INDUSTRIAL CT., BYRON CENTER, MI 49315

MIEDEMA
Asset Management Group



ONLINE AUCTION TERMS

INSPECTION:

Monday and Tuesday, December 5 and 6th:
9am-4pm.

REMOVAL:

December 8 thru 23 from 8am till 5 pm.

BUYERS PREMIUM:

A 15% Buyers Premium is in effect for this auction.

PAYMENT DATES:

December 8, 9, 10, 12, 13th from 8am-5pm.

PAYMENT:

Credit Card & Wire Transfer. Anything over \$5,000 will have to be purchased with a Wire Transfer. Online Payments Only – no cashier at auction location.

TO BID ON EQUIPMENT GO TO WWW.BID.REICHBROS.COM

FOR IMMEDIATE SALE: FIRE SUPPRESSION SYSTEM

(2) Like New with under 50 hours use

Clarke Stationary Fire Pump Service Station



Model JX6H-UKUFADNO, with a John Deere 13.5 liter diesel engine, 542 EHP at 1760 RPM, SimplexGrinnell control station, approx. 27' of 12" diameter pipe with a Aurora Centrifugal Fire Pump Split Ace, (5000 GPM at 125 PSI), includes approx. 800 gallon capacity tank with stand, includes 48" width x 36" depth bridge with 2-step ladder and 37 1/2" tall base, manufactured in 2012! Both are in original installation state.

Location: Chicago Illinois area

**GREAT VALUE MUST SELL
BY YEAR END!**

Contact: Jeffrey Kopp, Capital Equipment Specialist
914-614-1800 ext. 649
or email: jkopp@reichbros.com